



ENGINEERING  
ON FIRE



# CHILLI PENGUIN



## STOVES



CROESO CYNNES PENGUIN







“CROESO CYNNES”  
“A WARM WELCOME”

WE DESIGN ALL OUR  
OWN PRODUCTS. ALL THE  
DESIGN, PROTO-TYPING  
AND MANUFACTURE  
HAPPEN HERE IN THE  
UK, OVER 90%  
WITHIN WALES.

DAN NI’N CYNLLUNIO EIN HOLL  
GYNNYRCH. MAE’R CYNLLUN,  
PROTOTEIPIO A CHYNHYRCHU YN  
DIGWYDD YMA YN Y DU, DROS  
90% OHONO YNG NGHYMRU.

Warm up **With**

All About Us	2
Our Products	3
Short Penguin	4-5
Chubby	6-7
Woody Penguin	8-9
Hungry Penguin	10-11
Fat Penguin	12-13
High & Mighty Penguin	14-15
Penguin 8	16-17
Eighty Ate “88”	18-19
Chubes	20-23
Chilli Billie	24-25
Other Products	26
FAQs	27

All About Us

We are a small family run business located near the stunning coastline of the Llŷn Peninsula in North Wales. Established in 2001 we now have showrooms in Pwllheli, Cardiff and Brecon and a network of over 70 carefully selected stockists nationwide. We do not sell online.

We are committed to UK manufacturing not only because the UK is good at it but because every order contributes to the salary of someone local to us or someone we know. We love stoves ourselves, we design them, build them and have them in our own homes and in our workshop. We are inspired by the climate we live in. Over the winters we can get battered by the winds and we are surrounded by damp salty air. We run our stoves almost continuously in our workshop and the same stoves have been performing brilliantly for over a decade now. For us that is the best recommendation we can give you.

UK STOCKISTS



Our **Products**

We produce top quality products that do what they say, and do it well.

We also want them to last for a long time. We spend a long time in the design and development process to ensure this. Chilli Penguin Stoves have very effective air wash and clean burn systems. All our domestic stoves meet the current and very comprehensive UK and EU standards. *The stoves efficiency ratings are amongst the highest currently available in the UK,* which means you will get more heat out of the fuel that you put in.

All of our domestic stoves can be adapted to use in smoke control zones. Base heat shields are available for most models which allow for a greater choice of hearth.



# The Short Penguin

Pengwin Bach

Small in stature but big on personality.

The smallest of our domestic stoves, equally at home on land and on the water... a stove you'll want to come home to. Clean lines, contemporary stainless steel handles, clean burning and very efficient. Equally popular at home and on canal boats.



SIMPLE, SMALL,  
SENSATIONAL...  
YOU CAN'T  
GO WRONG.



### What's More

The Short Penguin, like all our domestic stoves uses the Chilli Penguin Clean Burn and Air Wash systems.

### Penguin Facts

#### Clean burn & air wash system

Pre-heated air is introduced via channels and jets at the back of the firebox and above the door. This ignites the volatile gases given off by the fuel, giving a very efficient burn and reducing the volume of harmful emissions that would otherwise be released into the atmosphere. The cleaner burn and the cushion of air directed at the glass, called an air wash, result in a clear view of the fire.

### The Tech Specs

Nominal Output	5kW
Efficiency (wood/smokeless fuel)	81.9%/72.7%
Height 540mm Width 380mm Depth 355mm	
Height With Plinth	711mm
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	270mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required With Defra Kit	min 125mm (5")


### The Tech Specs

Top Exit	Standard
Rear Exit	Rear Flue Adaptor Required
Optional Boiler (non pressurised systems)	1.4kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 500mm	Rear 400mm Above 450mm
*Distance To Non Combustibles	
Side 100mm	Rear 50mm Above 150mm
Hearth Type No Base Heat Shield/Plinth	Constructional
Hearth With Base Heat Shield/Plinth	12mm
Tested to EN13240 & BS3841-2	
*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle	



Call: 01758 721 247

### The Plans





# The Chubby

Pengwin Llund Eu Crwyn

Five kW of chubby loveliness.

If you appreciate the tight athleticism of the Short Penguin but crave the heartiness of a rugby player, then this is the stove for you.

This stove has the same fire box as the short penguin but it has grown in height and girth. The Chubby has an integral plinth which gives it the additional height and side convector panels which give it the extra width. This penguin has a big belly and big heart to match.




### The Tech Specs

Nominal Output	5kW
Efficiency (wood/smokeless fuel)	81.9%/72.7%
Height 690mm Width 460mm Depth 355mm	
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	270mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required with smoke control kit fitted	min 125mm (5")
Top Exit	Standard
Rear Exit	Rear Flue Adaptor Required
Optional Boiler (non pressurised systems)	1.4kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 400mm Rear 400mm Above 450mm	
*Distance To Non Combustibles	
Side 100mm Rear 50mm Above 150mm	
Hearth Type	12mm
Tested to EN13240 & BS3841-2	

\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle



### The Plans



CHUNKY  
MONKEY...





# The Woody

Dim ond Woody

The slim stove with big world views.

If you’ve got a big space in your life then Woody is the one for you, generously proportioned, incredibly efficient and quietly, modestly, magnificent. The 5 kW Woody is the most efficient stove in our range reaching a remarkable 87% efficiency on coal products and 82% on wood. Woody is also our slimmest stove and has a landscape window offering a really generous view.



### What’s More

The size of the firebox allows for a longer length of log than our other 5kw stoves and makes it ideal for a shallow fireplace recess. It has the same clean burn technology and air wash system as all our stoves.

Woody, like all our stoves is multi fuel and there is a plinth and base heat shield option.

### Penguin Facts

#### Fuel

Wood must be seasoned (left for at least one year after cutting) and dry (less than 20% moisture). Solid fuel must state that it is suitable for a closed appliance. Do not burn house coal on a stove.

### The Tech Specs

Nominal Output	5kW
Efficiency (wood/coal)	82%/87%
Height 560mm   Width 565mm   Depth 285mm	
Height With Plinth	756mm
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	430mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required With Defra Kit	min 125mm (5")

### The Tech Specs

Top Exit	Standard
Rear Exit	Rear Flue Adaptor Required
Optional Boiler (non pressurised systems)	2.3kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 400mm   Rear 350mm   Above 550mm	
*Distance To Non Combustibles	
Side 100mm   Rear 50mm   Above 150mm	
Hearth Type No Base Heat Shield/Plinth	Constructional
Hearth With Base Heat Shield/Plinth	12mm
Tested to EN13240 & BS3841-2	
*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle	




Call: 01758 721 247

87% EFFICIENT  
100% FABULOUS



### The Plans





# The Hungry Penguin

Pengwin Llwglyd

The original Chilli Penguin, the one that started the company.

This stove does it all, it keeps you warm, cooks your dinner, boils your kettle and if you’ve got a boiler model it will heat your water for you as well. It’s ideal for canal boats, studios and homes where you don’t want to be dependant on mains gas and electricity.



## Chocolate Siocled Brownies

Moderate oven or chilli stove ticking over gently  
2 Eggs  
3/4 Cup cocoa powder  
1/2 Cup self-raising flour  
1 Cup brown sugar  
1 Tablespoon golden syrup  
2/3 Of a Packet (5 oz.) butter  
Handful of chocolate chips  
Tsp vanilla extract

Melt the butter over a low heat. Stir in the sugar, syrup and cocoa powder and mix until smooth. Cool to bearable temperature and beat in the eggs one at a time. Stir in flour and vanilla and mix until smooth. Add chocolate chips. Spread into a greased 25x25cm baking dish. Bake until middle is just set, 20-40 minutes depending on oven temperature. Cool, cut and eat

Enjoy



## What's More

If you are trying to reduce your carbon footprint or your fuel bill, being able to heat and cook from the same fuel load makes a lot of sense. If you want that smug feeling of warm toes and a hot pasty that makes sense too. It is a different experience to cooking with flick-a-switch power... but you're off grid and the stoves on anyway!

## Penguin Facts

### Cooking on a penguin

All our cooker models have an oven box and top plate. The oven temperature can reach up to 300°C, but it will tick over comfortably at between 140-180°C. You can fit a small saucepan and kettle on the top plate.

## The Tech Specs

Nominal Output	5kW
Efficiency (wood/coal)	79%/83%
Height 683mm Width 380mm Depth 355mm	
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	270mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required With Defra Kit	min 125mm (5")

## The Tech Specs


Top Or Rear Flue Exit	Yes
Optional Boiler (non pressurised systems)	1.4kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 500mm	Rear 250mm
	Above 450mm
*Distance To Non Combustibles	
Side 100mm	Rear 50mm
	Above 150mm
Trivet For Oven Bottom	Yes
Hearth Type No Base Heat Shield/Plinth	Constructional
Hearth With Base Heat Shield/Plinth	12mm
Tested to EN13240 & BS3841-2	

\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle



Call: 01758 721 247

## The Plans





# The Fat Penguin

Pengwin Tew

When something smaller just won't do.

The Fat Penguin has all the features of the Hungry Penguin. It will warm you, feed you and make you a brew but it's even bigger. The output is still 5kW but this is a bigger, bolder penguin. Strong, simple lines, clear view of the roaring fire. Gorgeous in green, confident in black, radiant in red.

### What's More

The Fat Penguin has all the features of the Hungry Penguin. It has a 5kW fire box, a top oven, top plate and optional boiler but the side convection panels make it wider. The extra width means a bigger top plate so if you are cooking on it you will have more room.


### The Tech Specs

Nominal Output	5kW
Efficiency (wood/coal)	79%/83%
Height 683mm Width 460mm Depth 355mm	
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	270mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required With Defra Kit	min 125mm (5")
Top Or Rear Flue Exit	Yes
Optional Boiler (non pressurised systems)	1.4kW
Not tested for use in smoke control areas	
*Distance To Combustibles	
Side 400mm Rear 250mm Above 450mm	
*Distance To Non Combustibles	
Side 100mm Rear 50mm Above 150mm	
Trivet For Oven Bottom	Yes
Hearth Type No Base Heat Shield/Plinth	Constructional
Hearth With Base Heat Shield/Plinth	12mm
Tested to EN13240 & BS3841-2	

\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle



### The Plans



BIG, FAT  
& BEAUTIFUL

### Caerphilly Cheese and Chive Scones

Moderate oven or chilli stove  
ticking over gently  
8oz self raising flour  
Pinch of salt  
2 oz butter  
4oz Caerphilly cheese grated  
1 tbsp chopped fresh chives  
1/4 pint milk

Mix flour and salt then rub in butter. Stir in half the cheese and the chives. Add milk and mix to soft dough. Knead until smooth. Roll out to 1" thick and cut out about 10 scones. Bake for 10mins or until brown. Remove and sprinkle with remaining cheese to melt.

Enjoy



# The High & Mighty

Pengwin Bonheddig

## Head and shoulders above the rest.

This stove perhaps does have its nose in the air, just a touch. It feels a little superior with its elevated height, oven box, generous top plate, convection panel sides and integral log plinth. It feels it offers everything : stature, personality, function and more than a little charm.



TALL, HANDSOME,  
SMUG AS A SAUSAGE.



### What's More

This stove began life as a Fat Penguin but then it kept on growing. In order to accommodate the log plinth the side convection panels had to be extended. When we saw it's new body, it seemed to take on a personality all of its own so we decided to give it its own name. This is a high functioning stove...and it knows it.

### Penguin Facts

#### Convection panels

The side convection panels mean that the side surface temperature is cooler as it promotes air flow from beneath the stove convecting heat out at the top.

### The Tech Specs

Nominal Output	5kW
Efficiency (wood/coal)	79%/83%
Height 911mm Width 460mm Depth 355mm	
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	270mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required With Defra Kit	min 125mm (5")


### The Tech Specs

Top Or Rear Flue Exit	Yes
Optional Boiler (non pressurised systems)	1.4kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 400mm    Rear 250mm    Above 450mm	
*Distance To Non Combustibles	
Side 100mm    Rear 50mm    Above 150mm	
Trivet For Oven Bottom	Yes
Hearth Type	12mm
Tested to EN13240 & BS3841-2	

\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle



### The Plans





# The Penguin 8

Pengwin Wyth

The big boy of the penguin family, cool, classic, contemporary.

This is 8kW of warm, glowing, chilli-hot, heat. The generous clear glass window offers you a huge uninterrupted view of the fire and it has the added benefit of taking large logs. Sleek in black, delicious in almond, sublime in charcoal.



AWESOMELY SIMPLE,  
SIMPLY AWESOME.



## What's More

The Penguin 8 has an 8kW output with a large glass window. It uses the Chilli Penguin clean burn and air wash system, giving a lovely clear view of the fire and high efficiencies. Like all our domestic stoves the Penguin 8 is very controllable.

## Penguin Facts

### Air controls

The penguin disc on the front of the stove is an air boost disc, it is designed to balance open as the fire establishes, then swing down. It should be free swinging. The primary and secondary air control knobs can be used to achieve the burn that you want and be adjusted for the fuel type.

## The Tech Specs

Nominal Output	8kW
Efficiency (wood/coal)	81%/71%
Height 590mm   Width 570mm   Depth 355mm	
Height With Plinth	811mm
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	430mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required With Defra Kit	min 125mm (5")


## The Tech Specs

Top Exit	Standard
Rear Exit	Rear Flue Adaptor Required
Optional Boiler (non pressurised systems)	3kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 350mm   Rear 350mm   Above 550mm	
*Distance To Non Combustibles	
Side 100mm   Rear 50mm   Above 150mm	
Hearth Type No Base Heat Shield/Plinth	Constructional
Hearth With Base Heat Shield/Plinth	12mm
Tested to EN13240 & BS3841-2	
*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle	



Call: 01758 721 247

## The Plans





# The Eighty Ate “88”

Pengwin Wyth Deg Wyth

Big boy, Big oven, Big love. This penguin is the love child of the Penguin 8 and the Hungry Penguin.

The “88” is an 8kW stove with an oven box on the top and an integral plinth underneath. There are convection panels on both sides. There is an optional stainless steel top plate. There is model available without the plinth: the “88 Shorty”.

What doesn't it have? It gives you heat, it gives you food, it gives you hot drinks, it has somewhere to store your logs and it's got a glorious big window to watch your fire burning. When the world disappoints you, it will be waiting for you at home. This penguin will work for it's living: it can multi task, it's strong, it's hot, it's got muscle and it cooks. If you love this penguin it will love you back.



## The Tech Specs

Nominal Output	8kW
Efficiency (wood/coal)	81%/71%
Height 1115mm Width 650mm Depth 355mm	
Height No Plinth	885mm
Internal Oven Dimension	
Height 210mm Width 440mm Depth 223mm	
Multi-Fuel	Yes
Smoke Control Kit Included	Yes
Colours Available	Yes
Max Log Length	430mm
Flue Collar Diameter	127mm
Flue Size Required	150mm (6")
Flue Size Required	min 125mm (5")
<i>with smoke control kit fitted</i>	


## The Tech Specs

Top Exit	Standard
Rear Exit	Removable Plate
Optional Boiler (non pressurised systems)	3kW
<i>Not tested for use in smoke control areas</i>	
*Distance To Combustibles	
Side 350mm Rear 350mm Above 550mm	
*Distance To Non Combustibles	
Side 100mm Rear 50mm Above 150mm	
Hearth Type with Integral Plinth	12mm
Hearth Type with No Plinth	Constructional
Tested to EN13240 & BS3841-2	
*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle	



Call: 01758 721 247

## The Plans



BEWARE of new friends post penguin (pp) they may well be visiting the penguin, not you... we're just saying...think about it.



# Chubes

Teulu Tiwb

Our new family of flaming fire tubes. Curvy, curvaceous, deliciously curvilicious.

This is a family of round stoves developed with another welsh stove manufacturer. There is a plinth model, the pedestal model and the shorty, all available in 5kW and 10kW.

## What's More

These stoves have a circular profile and stunning curved glass fire window. The handle fits smoothly into the curved profile of the door. The penguin control can be adjusted for fuel type. Irresistible curves, scandalously controllable, a true penguin of desire.. if this penguin calls to you, you should listen.



OUTRAGEOUSLY CURVACEOUS





The Tech Specs 5kW

Nominal Output	5kW
Efficiency	(Wood 76.7%, Smokeless 77.7%)
Height	Shorty 850mm Pedestal 1050mm Plinth 1050mm
Diameter	470mm
Multi-Fuel	Yes
Smoke control	Standard
Colours Available	Satin Black
Max Log Length	325mm
Flue Collar Diameter	127mm
Flue Size Required	min 125mm (5")
Top Exit	Standard
*Distance To Combustibles (flat wall installation) Side 300mm   Rear 75mm   Above 550mm	
*Distance To Combustibles (corner installation) Side 150mm   Above 550mm	
Hearth Type	12mm
Hearth Distance In Front Of Stove	min 300mm
External Air Supply	Standard
Tested to BS EN13240	

Exemption test complete, awaiting certification

\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle




The Tech Specs 10kW

Nominal Output	10kW
Efficiency	(Wood 74.4%, Smokeless 74.8%)
Height	Shorty 1025mm Pedestal 1235mm Plinth 1235mm
Diameter	575mm
Multi-Fuel	Standard
Smoke control	Standard
Colours Available	Satin Black
Max Log Length	400mm
Flue Collar Diameter	150mm (6")
Flue Size Required	150mm (6")
Top Exit	Standard
*Distance To Combustibles (flat wall installation) To Be Confirmed	
*Distance To Combustibles (corner installation) To Be Confirmed	
Hearth Type	12mm
Hearth Distance In Front Of Stove	min 300mm
External Air Supply	Standard
Tested to BS EN13240	


\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle



The Plans 5kW



The Plans 10kW





# The Chilli Billie

Stôf Fach Gyda Chalon Fawr

The little stove with a big heart, small but mighty, a flaming wood rocket, a tree fuelled engine.

This is baby of the penguin family in no hurry to grow up, likes chilling out... warming up... drying off and frying up. Found hanging out in small spaces like camping pods, yurts, beach huts, shepherds huts, sheds and studios.

## What's More

The Chilli Billie is top loading with a round glass window to see the fire through. You can boil a kettle on the top surface of the stove. The kW output is between 2.5-3kW. There is an optional detachable side shelf which is useful for putting your kettle or pans on when not boiling.

There is a separate loading door for the ash pan and a small lighting hole. There is a heat shield enclosure available for the chilli billie called the penguin enclosure.




## The Tech Specs

Nominal Output	2.5-3kW
Height	504mm
Width	321mm/531mm
Depth	405mm
Flue Collar Size	105mm
Flue Diameter	125mm
*Distance To Combustibles	Side 500mm Above 500mm
*Distance To Non Combustibles	Side 100mm Rear 50mm Above 150mm
Colours Available	Yes
Exemption tested	No
Tested to EN 13240	

\*These are minimum distances, be aware that there are other considerations eg. access for sweeping, height of kettle

## The Plans



# CHILL BILL...

## Glamorgan Sausages

4oz strong cheddar grated  
4oz white breadcrumbs  
1 onion chopped  
1 tsp mustard  
1tsp chopped parsley  
Thyme to taste  
Salt and pepper  
3 eggs  
Dried breadcrumbs to coat  
Oil

Combine 2 eggs, mustard, parsley, thyme, salt and pepper. Add breadcrumbs, cheese and onion. Mix well, form into sausages. Coat in egg and breadcrumbs, fry and eat.

## Enjoy



# Other Products

We also design bespoke items to fit your particular installation at home or on board e.g. one-off unique log storage solutions, heat shields for canal boat installations and unusual spaces.

Don't hesitate to phone us and discuss your ideas.

We design and manufacture a range of stove and installation accessories.

Like our stoves these are all made here in the UK.



<b>01 Log Column</b> H 1200/2200, W 245, D 280 (mm) MUST BE FIRMLY FIXED TO THE WALL	<b>04 Canal Boat Flues and Chimneys</b> 5" diameter stainless steel deck collars and chimneys Insulated stove pipes Bespoke heat shields made to order	<b>05 Expandable Fireplace Frames</b> Up to 1050mm high Up to 1100mm wide These are used during installation when a brick /stone fireplace recess meets a plastered/decorated interior wall, giving a crisp right angled edge.	<b>07 Coloured Trivet</b> Dimensions Side 130mm
<b>02 Log Store</b> H 750, W 400, D 320 (mm)		<b>06 Stainless Steel Trivet</b> Dimensions Side 160mm	<b>08 Don't Burn My Bottom Trivet</b> 5kw/8kw
<b>03 Log Trolley</b> H 970, W 400, D 350 (mm)		<b>09 Boiler</b>	<b>10 Direct Air Kit</b>
		<b>11 Log Plinth</b>	<b>12 Rear Horizontal Adapter</b>
		<b>13 Rear Vertical Adapter</b>	<b>14 Stainless Steel Top Plate</b>

# Your FAQs

## What size stove will my room need?

The basic sum is height x width x depth (in metres) of room divided by 14 = kW output requirements. This is a guideline only, assuming an average room, achieving an inside temp of 20°C when 0°C outside.

## What is air wash?

It is the system where preheated air is channelled towards the back of the glass, creating a cushion of air, preventing the glass from blackening. The controls must be correctly used and only the right fuels burnt to acheive the full effect. All Chilli Penguin Stoves have a very effective air wash system.

## What is clean burn? (sometimes called secondary and tertiary burning?)

Additional air is introduced into the firebox above the fuel in order to burn volatile gases. These gases would otherwise be released into the atmosphere where they are harmful, effectively you are burning more 'cleanly'. The additional benefit is that it burns more efficiently, using less fuel to produce more heat. All our domestic stoves utilise clean burn technology offering a very effective clean burn system and very high efficiencies.

## What fuel can I burn in a multi fuel stove?

Either seasoned/ kiln dried wood or smokeless fuels recommended for closed appliances.  
DO NOT USE HOUSE COAL.

## What is seasoned wood?

Wood with a moisture content of less than 20%, usually wood that has been felled, split and stored for at least one year. Typically about 60% of the weight of freshly cut wood is water. A 1kg log of fresh wood will contain about a tea mug's worth of water. Not only will damp wood not burn well it will tar up your stove and chimney. (www.soliftec.com)

## How can I insure my stove is safely installed?

In order to certify your stove installation you will either need a HETAS qualified fitter or have your installation inspected by your local building control dept. Always fit smoke and CO detectors. This is now a legal requirement. (www.hetas.co.uk) The rules in Scotland and Northern Ireland are slightly different, but installations should comply with hetas guidelines and our installation instructions.

## How do I know my stove is safe?

Our stoves are tested to the EN13240. Some of the range are DEFRA tested so they can be burned in smoke control zones (www.uksmokecontrolareas.co.uk)

## Which size flue will I need?

The flue collar size on all models (except the Chilli Billie) is 127mm(5") the flue size required is 150mm(6") unless using a DEFRA model. You will require a joining piece of flue and an increaser.

## Will my glass remain clear?

Yes, it will require no more than a damp wipe every 1-2 weeks if:

- The air controls are used effectively
- The correct dry fuel is used

## Which colours are chilli penguin stoves available in?

All the stove models are painted with a high temperature stove paint. This can be cleaned with a soft brush and touched up if necessary. Colours available in the options below;

Actual colours may vary due to print process, please take this as an indication only.



Mojave Red



Forest green



Almond White



Charcoal



Black

## Chilli Penguin Stoves 7 Year Guarantee

The bodies, doors, grates and stainless steel handles of all our stoves with the exception of the Chilli Billie are guaranteed for 7 years. This extended guarantee is offered if stoves are purchased through an approved dealer and proof of purchase is retained. The stoves must have been installed and maintained as laid out in the instruction manual. In addition they must be certified by either a HETAS\* installer or your local building control dept.

For full details see instruction manual and online \*With the exception of Scotland and Northern Ireland







### *Sales and Customer Service*

Chilli Penguin Stoves  
Pwllheli  
Gwynedd

Our workshop in Pwllheli is not open to the public however if you are local to us and would like to view any of our stoves we are very happy to arrange this by appointment.

If you are in the Pwllheli, Cardiff or mid Wales area please visit any of our showrooms. Alternatively contact us for your nearest Chilli Penguin stove stockist or look on our website.

**E-mail:** [stoves@chillipenguin.co.uk](mailto:stoves@chillipenguin.co.uk)

**Call:** 01758 721 247

### *Pwllheli Showroom*

Stof 49,  
49 High Street,  
Pwllheli,  
Gwynedd,  
LL53 5RT

### *Cardiff Showrooms*

The Fire and Stove Shop,  
Merthyr Rd,  
Tongwynlais,  
Cardiff,  
CF15 7LF

### *Cardiff Showrooms*

The Fire And Stove Shop  
The Pumping Station  
Penarth Road  
Cardiff  
CF11 8TT

### *Mid Wales Showroom*

The Fire and Stove Shop,  
St Mary Street,  
Brecon,  
LD3 7AA

# [www.chillipenguin.co.uk](http://www.chillipenguin.co.uk)

#### **Locations:**

[www.away-from-it-all.co.uk](http://www.away-from-it-all.co.uk)  
[www.lovelavenderhouse.co.uk](http://www.lovelavenderhouse.co.uk)  
[www.sustainable-choice.co.uk](http://www.sustainable-choice.co.uk) (Pods)

[www.yurtshire.co.uk](http://www.yurtshire.co.uk)  
[www.elwyvalleyshepherdshutco.com](http://www.elwyvalleyshepherdshutco.com)  
[facebook.com/PodiauNantGwrtheyrn](https://facebook.com/PodiauNantGwrtheyrn)

#### **Fuel for photography supplied by:**

[www.yorkshirefirewood.co.uk](http://www.yorkshirefirewood.co.uk)

#### **Photography & Design:**

[www.bbphoto.net](http://www.bbphoto.net)  
[www.martdesign.net](http://www.martdesign.net)